




## Installation Details For Severn Multi Unit (R103)


<u>Component List</u>	<u>Quantity</u>
1.0m H Sections	2
1.0m Apex Sections	2
Roof & Fascias	1
Platforms	2
Access Steps	1
1.0m Single Slide, holder & foot	1
Monkey Walk	1
Crazy Maze	1
Splat Mirror	1
Firepole	1
Arch Climber	1

- 1 Construct base as per layout drawing 1 ensuring the correct levels for safety surfacing.
- 2 Excavate 400mm x 400mm holes for H Sections as in drawing 2 to a depth of 400mm from finished safety surfacing height. (All H sections ARE NUMBERED & have finished ground level marks)
- 3 Assemble the H sections together in pairs as per drawing 2 with a platform using M10 x 30 resistorx & nylon washers. (Tap holes with a 10mm tap and make sure bolts are only hand tight at this stage)
- 4 Fit the H sections in to the excavated holes and connect together using the stated links ie. Monkey Walk.
- 5 When all H sections and links have been fitted, level in all directions and check distances from edge of surfacing area.
- 6 Mark out for access points as drawing 3 and excavate to a depth of 400 as before (550 for the slide foot).
- 7 Assemble all other items of equipment as drawing 4 using M10 x 30 resistorx & nylon washers.
- 8 Note. M10 x 25 resistorx are used to connect the slide to the foot.
- 9 Once all equipment is fitted check levels again, tighten all bolts and concrete in to the ground.
- 10 Use M10 x 50 Resistorx & bolt caps for the play panels.













✓ All Play & Leisure's product range is fully compliant with **BS EN 1176:2008**



**Side Elevation**


## Features

- 1 Stainless Steel Slide
- 2 Access Steps
- 3 Crazy Maze Play Panel
- 4 Monkey Walk
- 5 Splat Mirror Play Panel
- 6 Fireman's Pole
- 7 Arch Climber



## Technical AT-A-GLANCE

<b>Product Code</b>	R103
<b>Equipment Size</b>	3648L x 2916W x 2200H
<b>Minimum Space</b>	6922 x 6217
<b>Free Height of Fall</b>	1000
<b>Safety Surface Area</b>	33m <sup>2</sup>



# **Maintenance Schedule**

## **Maintenance & Inspection**

All Play & Leisure's products should be inspected and maintained in accordance with the recommendations as detailed in BS EN 1176-7:2008

If any part of the equipment is found to be unsafe during an inspection and cannot be immediately rectified the equipment should be protected against further use.

## **Routine Visual Inspection.**

Routine visual inspections are to be conducted to identify obvious hazards resulting from vandalism, use or weather conditions. e.g. Hazards such as broken parts or broken bottles.

## **Operational Inspection.**

To reduce accidents the operator should ensure an appropriate routine maintenance schedule is established, implemented and maintained. Inspection shall be carried out on a monthly basis, although consideration should be taken regarding local conditions and usage.

During a operational inspection the following should be included:

- Tightening of fastenings.
- Re-painting and re-treatment of surfaces.
- Maintenance of any impact attenuating surfaces.
- Lubrication of bearings.
- Marking of equipment to signify loose fill finished surface levels.
- Cleaning.
- Removal of broken glass and other debris or contaminants.
- Restoring loose fills to the correct level.
- Maintenance of free space areas.

## **Annual Main Inspection (NOT EXCEEDING 12 MONTHS)**

Inspection intended to establish the overall level of safety of equipment, foundation and playing surfaces.

- Effects of weather.
- Rotting or corrosion.
- A change in the level of safety of the equipment as a result of repairs made, or of added or replaced components

## **One Post Equipment Maintenance.**

Special attention should be paid to the stability of products being of a one post design.

## **Corrective Maintenance.**

Corrective maintenance should include measures to correct defects, or to establish the necessary levels of safety of the playground equipment and surfaces. Such measures should include:

- Replacement of fastenings.
- Welding or welding repairs.
- Replacement of worn or defective parts.
- Replacement of defective structural components.

## **Equipment Alterations.**

Alterations to parts of any products that could affect the essential safety of the equipment should only be carried out after consultation with Play and Leisure.

## **Equipment Identification**

Information regarding the manufacturer, I.D. Number, year of manufacturer and the European Standard is displayed on an identification plaque.