

Climbing Ladder

FZ108



14+



4




2hrs



2300



27.34



6.7mx4.08m

The Climbing Ladder is a great addition to a playground fitness area, offering a simple but effective way for adults and older users to improve strength, flexibility and coordination. It can be used for stretching, climbing and bodyweight exercises, helping to promote active lifestyles and outdoor fitness. By providing equipment for a range of ages and abilities, it creates a more inclusive space where parents and carers can stay active while children play.

Key



Age Range



Number Of Users



Assembly Time



Free Fall Height



Impact Area




Wheelchair Accessible



Space Needed



For All Users



Specification

Age Range:	14+ Years
Safety Area Width (mm):	4080
Safety Area Length (mm):	6700
Safety Area (m ²):	27.34
Free Fall Height (mm):	2300
Assembly Time:	2 hrs
People For Installation:	2



✓ All Play & Leisure's product range is fully compliant with BS EN 1176

Inclusive Information



Outdoor fitness equipment is a valuable addition to a playground, providing adults with opportunities to exercise while children play. It encourages physical activity, supports health and wellbeing, and helps create a more inclusive space that can be enjoyed by all ages. By giving parents, carers and other visitors something active to do, fitness equipment promotes longer visits, social interaction and greater community use of the area, transforming the playground into a destination for the whole family.

Guaranteed for product lifetime
against structural failure



Guaranteed for 5 years

Guaranteed for 5 years



Guaranteed for 8 years

Guaranteed for 10 years



Guaranteed for 2 years

Guaranteed for 2 years



Guaranteed for 1 year

Play Panels + HDPE Products



For consumable parts:
- Beaters
- Cables



For electronic failure caused by manufacturing defects in:
- Speakers
- Sound chips
- Circuit boards



For mechanical failure caused by faulty workmanship or material defects in:
- Moving parts
- Standing and heavy duty springs



For defects resulting from the manufacture of:
- High density polyethylene sheets
- Structural steel components