


**Tyre Crossing**

QTT09



7+



2




2hrs



600



8.91



2.114mx4.213m

Tyre Crossing brings an extra level of challenge and excitement to the Quest Trail. The suspended tyres move as children step across them, encouraging balance, coordination and core strength while building confidence through active play. This engaging obstacle adds variety and adventure to any trail, making it a popular choice for creating dynamic and rewarding play experiences.

**Key**



Age Range



Number Of Users



Assembly Time



Free Fall Height



Impact Area




Wheelchair Accessible



Space Needed



For All Users





Specification	
Age Range:	7+ Years
Safety Area Width (mm):	2114
Safety Area Length (mm):	4213
Safety Area (m <sup>2</sup> ):	8.91
Free Fall Height (mm):	600
Assembly Time:	2 hrs
People For Installation:	2



**All Play & Leisure's product range is fully compliant with BS EN 1176**

## Inclusive Information



The Quest Trail Range offers complete flexibility, allowing you to mix and match a variety of elements to create a bespoke trail for any location. Whether you're working with a compact space or a larger playground, the modular design can be tailored to suit your needs, combining climbing, balance, agility, and coordination challenges to maximise play value and encourage active, engaging play.

Guaranteed for product lifetime  
against structural failure



Guaranteed for 5 years

Guaranteed for 5 years



Guaranteed for 8 years

Guaranteed for 10 years



Guaranteed for 2 years

Guaranteed for 2 years



Guaranteed for 1 year

## Play Panels + HDPE Products



For consumable parts:  
- Beaters  
- Cables



For electronic failure caused by manufacturing defects in:  
- Speakers  
- Sound chips  
- Circuit boards



For mechanical failure caused by faulty workmanship or material defects in:  
- Moving parts  
- Standing and heavy duty springs



For defects resulting from the manufacture of:  
- High density polyethylene sheets  
- Structural steel components